

## PR:O 15



Sporting a 15" woofer, this cab delivers performance on par with the PR:O 12, plus enhanced low-midrange and bass response compared. And that makes it a great choice for stand alone deployment without a subwoofer.

### Facts & Features

- Application: Fullrange Cabinet / Satellit
- Power Capacity: 400/800 Watt
- Max. SPL: 128 dB
- Frequency Range: 53 Hz – 19 kHz

## PR:O 15



Title	PREMIUM PR:O
Product Class	Passive Systems
Model	PR:O 15
Info	The PR:O 15 is a classic full-range cabinet for all applications
Power-handling nominal (RMS)	400 W
Power-handling, peak	1200 W
Power-handling, program	800 W
Frequency response +/- 3 dB	60 Hz – 19 kHz
Frequency response -10 dB	53 Hz – 19 kHz
Nominal impedance	8 ohms
Sensitivity 1W	104 dB
Maximum SPL, @ 10% THD	128 dB
Connections	2x Speakon
LF Speaker	15"
HF Driver	1"
Horn characteristics	60° x 40° CD horn
HF protection (passive)	Dyn. protective circuit
Crossover frequency	2 kHz, 12 dB / oct.
Pole mount	DuoTilt 3/7
Rigging points	3x M8
Handles	2, integrated
Enclosure	MDF
Grille	metal grille with acoustic foam
Finish	acrylic painture, black
Dimensions (WxHxD)	47 cm x 61,5 cm x 41 cm
Weight	22,5 kg, 49.6 lbs.

## PR:O 15



### **Protective Covers for all Cabinets**



### **HK Audio Satellite Add-On M20 Speakon**

A special accessory kit for deploying satellite speakers and subwoofers on M20 poles, the Satellite Add-On Package includes two aluminum mounting poles and two 3-metre long speaker cables for Speakon® connectors, all packed away neatly in a nylon carrying bag.